# LAB

**Karri Monni** | 2014



# LAB

**Karri Monni** | 2014

Dynamic and focused like a contemporary working day. With its backrest and height adjustment, the LAB stool has the “shape” to adapt itself to any working needs. A classic of industrial design, it features the latest colours and a modern profile.




# LAB

**Karri Monni** | 2014

**| S70 height-adjustable with backrest H47 ÷ 60**

Stool with swivel seat and adjustable height with die-cast aluminium base, sandblasted or powder coated, and self-braking castors. Seat and backrest in plywood upholstered with fire-retardant polyurethane foam and covered with fabric, soft leather or eco-leather. The back-rest is height adjustable.

TEST EN 1728:2012 AC:2013 6.17 - EN 16139:2013 - L2 extreme
TEST 1 IM - Hallingdal




# LAB

**Karri Monni** | 2014

### | S71 stool with backrest and footrest H65 ÷ 78

Stool with swivel seat and adjustable height with die-cast aluminium base with footrest, sandblasted or powder coated, and self-braking castors. Seat and backrest in plywood upholstered with fire-retardant polyurethane foam and covered with fabric, soft leather or eco-leather. The back-rest is height adjustable.

TEST 1 IM - Hallingdal




# LAB

**Karri Monni** | 2014

### | S72 swivel and height-adjustable stool H47 ÷ 60

Stool with swivel seat and adjustable height with die-cast aluminium base, sandblasted or powder coated, and self-braking castors. Seat in MDF upholstered with fire-retardant polyurethane foam and covered with fabric, soft leather or eco-leather.

TEST 1 IM - Hallingdal




# LAB

**Karri Monni** | 2014

### | S73 stool with footrest, height-adjustable and backrest H65 ÷ 78

Stool with swivel seat and adjustable height with die-cast aluminium base with footrest, sandblasted or powder coated, and self-braking castors. Seat in MDF upholstered with fire-retardant polyurethane foam and covered with fabric, soft leather or eco-leather.

TEST 1 IM - Hallingdal




# LAB

**Karri Monni** | 2014


**upholstery**


fabric
Main Line Flax - Grade. B
57 Colors



fabric
Blazer - Grade. C
77 Colors



fabric
Chili - Grade. A
47 Colors


fabric
Umber - Grade. B
36 Colors



fabric
Nobel - Grade. C
30 Colors


fabric
Naveli - Grade. C
24 Colors


fabric
Fiocco - Grade. B
34 Colors


fabric
Atrium - Grade. C
16 Colors


fabric
Panama - Grade. A
48 Colors


fabric
Sorrento - Grade. B
22 Colors


fabric
Hallingdal 65 - Grade C
58 Colors



fabric
Canvas 2 - Grade C
45 Colors


fabric
Steelcut Trio 3 - Grade D
54 Colors


fabric
Remix 3 - Grade C
72 Colors



fabric
Fiord 2 - Grade C
39 Colors


fabric
Divina MD - Grade D
27 Colors



fabric
Divina Melange 3 - Grade D
38 Colors


fabric
Tonica 2 - Grade C
39 Colors



fabric
Medley - Grade A
37 Colors


fabric
Maya - Grade A
43 Colors



fabric
Jet - Grade A
66 Colors


fabric
Capture - Grade B
60 Colors



fabric
Crisp - Grade B
40 Colors


fabric
Ilris - Grade B
34 Colors


fabric
Steelcut 3 - Grade D
40 Colors


soft-leather
Soft-leather
17 Colors


ecoleather
Valencia - Grade B
72 Colors


fabric
Grain - Grade. B
50 Colors


fabric
Re-wool - Grade C
24 Colors

**frame**


powder coating
black
1 Colors


powder coating
white
1 Colors


metal
aluminium
1 Colors

# LAB

**Karri Monni** | 2014

**consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.**

**use and maintenance instructions**
Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately.When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users.Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range.Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.