YO

Romano Marcato | 2016



YO

Romano Marcato | 2016

Recalling the sign of victory, the YO table is successful thanks to its versatility, meeting all needs as a top in work and relaxation spaces. Thanks to its off-centre base and its Y-shaped leg, the tabletop, available in various geometric shapes, perfectly aligns with armchairs and sofas. Height-adjustable, it is as handy as a small desk.
Product selected for the Quick Ship program, download the PDF




YO

Romano Marcato | 2016

| T80 Round side table Height-adjustable Ø50 H.52÷70

Height adjustable side table with block-lift for the top. Metal base, column and fi xing plate powder coated. Tops in several shapes in plywood of birch wood veneered with visible edge or in HPL Fenix® 10 mm. Felt glides under the base.

TEST EN 1730:2012 6.3 - EN 15372 - L2




YO

Romano Marcato | 2016

| T80Q Height-adjustable square side table 50x50 H.52÷70

Height adjustable side table with block-lift for the top. Metal base, column and fixing plate powder coated. Tops in several shapes in plywood of birch wood veneered with visible edge or in HPL Fenix® 10 mm. Felt glides under the base.

TEST EN 1730:2012 6.3 - EN 15372 - L2




YO

Romano Marcato | 2016

| T80R Height-adjustable side table 55x35 H.52÷70

Height adjustable side table with block-lift for the top. Metal base, column and fixing plate powder coated. Tops in several shapes in plywood of birch wood veneered with visible edge or in HPL Fenix® 10 mm. Felt glides under the base.

TEST EN 1730:2012 6.3 - EN 15372 - L2




YO

Romano Marcato | 2016

| T80E Height-adjustable rectangular side table 55x40 H.52÷70

Height adjustable side table with block-lift for the top. Metal base, column and fixing plate powder coated. Tops in several shapes in plywood of birch wood veneered with visible edge or in HPL Fenix® 10 mm. Felt glides under the base.

TEST EN 1730:2012 6.3 - EN 15372 - L2



YO

Romano Marcato | 2016

frame


powder coating
black
1 Colors

powder coating
white
1 Colors

powder coating
perla
1 Colors


powder coating
celeste
1 Colors


powder coating
mattone
1 Colors


powder coating
oliva
1 Colors


powder coating
tortora
1 Colors


powder coating
pistacchio
1 Colors

top


HPL 10 mm
black HPL fenix
1 Colors


HPL 10 mm
white HPL fenix
1 Colors


HPL 10 mm
HPL fenix grigio
Londra
1 Colors


HPL 10 mm
HPL fenix rosso
Jaipur
1 Colors


HPL 10 mm
HPL fenix comodoro
1 Colors


wood
blanched oak
1 Colors


wood
black open pore
1 Colors


wood
oak dark walnut
1 Colors

gres
gres Ivory
1 Colors


gres
gres Moon
1 Colors

powder coating
perla
1 Colors


powder coating
celeste
1 Colors


powder coating
celeste
1 Colors


powder coating
mattone
1 Colors


powder coating
mattone
1 Colors


powder coating
pistacchio
1 Colors


powder coating
pistacchio
1 Colors


powder coating
oliva
1 Colors


powder coating
tortora
1 Colors

leg

powder coating
perla
1 Colors

powder coating
perla
1 Colors


powder coating
celeste
1 Colors


powder coating
mattone
1 Colors


powder coating
pistacchio
1 Colors


powder coating
oliva
1 Colors


powder coating
tortora
1 Colors

YO

Romano Marcato | 2016

consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

use and maintenance instructions
Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately.When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users.Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range.Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.